```
1 333748-94-0/BI
                 (333748-94-0/RN)
             1 333748-95-1/BI
                 (333748-95-1/RN)
             1 333748-96-2/BI
                 (333748-96-2/RN)
             1 333748-97-3/BI
                 (333748-97-3/RN)
             1 333748-98-4/BI
                 (333748-98-4/RN)
             1 333748-99-5/BI
                 (333748-99-5/RN)
             1 333749-00-1/BI
                 (333749-00-1/RN)
             1 333749-01-2/BI
                 (333749-01-2/RN)
             1 333749-02-3/BI
                 (333749-02-3/RN)
             1 333749-03-4/BI
                 (333749-03-4/RN)
             1 333749-04-5/BI
                 (333749-04-5/RN)
             1 42191-51-5/BI
                 (42191-51-5/RN)
             1 7051-34-5/BI
                 (7051-34-5/RN)
             1 75279-55-9/BI
                 (75279-55-9/RN)
             1 77831-51-7/BI
                 (77831-51-7/RN)
L2
            42 (103-80-0/BI OR 19227-11-3/BI OR 280110-81-8/BI OR 3215-64-3/BI
               OR 333748-59-7/BI OR 333748-61-1/BI OR 333748-64-4/BI OR 333748-
               66-6/BI OR 333748-68-8/BI OR 333748-71-3/BI OR 333748-73-5/BI
               OR 333748-75-7/BI OR 333748-77-9/BI OR 333748-78-0/BI OR 333748-
               79-1/BI OR 333748-80-4/BI OR 333748-81-5/BI OR 333748-82-6/BI
               OR 333748-83-7/BI OR 333748-84-8/BI OR 333748-85-9/BI OR 333748-
```

Structures of Wo 2001/25187

=> d scan

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN IN Benzeneethanimidamide, 2,3-dichloro-N-hydroxy- (9CI)

86-0/BI OR 333748-87-1/BI OR 333748-88-2/BI OR 333748-89-3/BI OR 333748-91-7/BI OR 333748-93-9/BI OR 333748-94-0/BI OR 333748-95-1/BI OR 333748-96-2/BI OR 333748-97-3/BI OR 333748-98-4/BI OR 333748-99-5/BI OR 333749-00-1/BI OR 333749-01-2/BI OR 333749-02-3/BI OR 333749-03-4/BI OR 333749-04-5/BI OR 42191-51-5/BI OR

7051-34-5/BI OR 75279-55-9/BI OR 77831-51-7/BI)

MF C8 H8 Cl2 N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN L2

Benzeneethanimidamide, N-hydroxy-.alpha.-methyl- (9CI) IN

MF C9 H12 N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneethanimidamide, 2,4-dichloro-N-hydroxy- (9CI) IN

MF C8 H8 Cl2 N2 O

CI COM

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6dichlorophenyl) ethylidene] - (9CI)

MF C20 H20 Cl2 N2 O2

$$\begin{array}{c|c}
 & O \\
 & | \\
 & | \\
 & CH_2 - C - NH \\
 & CH_2 - O - N = C - CH_2
\end{array}$$
C1
C1

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

REGISTRY COPYRIGHT 2003 ACS on STN L242 ANSWERS

Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[2-IN (trifluoromethoxy)phenyl]ethylidene] - (9CI)

C21 H21 F3 N2 O3 MF

$$CH_2-O-N = C-CH_2$$

$$NH-C-CH_2-Ph$$

$$0$$

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[2-fluoro-6-(trifluoromethyl)phenyl]ethylidene]- (9CI)

MF C21 H20 F4 N2 O2

$$\begin{array}{c|c}
 & O \\
 & Ph-CH_2-C-NH & F_3C \\
 & CH_2-O-N = C-CH_2 \\
 & F
\end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[2-(6-chloro-2-fluoro-3-methylphenyl)-1-

[(cyclopropylmethoxy)amino]ethylidene] - (9CI)

MF C21 H22 Cl F N2 O2

$$\begin{array}{c|c} O & Me \\ \parallel & \\ Ph-CH_2-C-NH & F \\ \hline \\ CH_2-O-N-C-CH_2 & \\ \hline \\ C1 & \\ \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,3,6trichlorophenyl)ethylidene]- (9CI)

MF C20 H19 C13 N2 O2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN L2

Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6-IN dimethylphenyl)ethylidene] - (9CI)

C22 H26 N2 O2 MF

$$\begin{array}{c|c} O & Me \\ \hline Ph-CH_2-C-NH & Me \\ \hline \\ CH_2-O-N=C-CH_2 & Me \\ \hline \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneethanimidamide, 2-chloro-6-fluoro-N-hydroxy- (9CI) IN

MF C8 H8 C1 F N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

REGISTRY COPYRIGHT 2003 ACS on STN L242 ANSWERS

Benzeneacetonitrile, 2,6-dichloro- (9CI) IN

MF C8 H5 Cl2 N

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneethanimidamide, 2,3,6-trichloro-N-hydroxy- (9CI)

MF C8 H7 Cl3 N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetonitrile, 2-chloro-6-fluoro- (9CI)

MF C8 H5 Cl F N

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[6-(difluoromethoxy)-

2,3-difluorophenyl]ethylidene]- (9CI)

MF C21 H20 F4 N2 O3

$$CH_2-O-N=C$$

$$CH_2-O-N=F$$

$$CH_2$$

$$F_2CH-O$$

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[2-(2-chloro-6-fluorophenyl)-1-

[(cyclopropylmethoxy)amino]ethylidene]- (9CI)

MF C20 H20 C1 F N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[2-(2-chloro-3,6-difluorophenyl)-1-

[(cyclopropylmethoxy)amino]ethylidene]- (9CI)

MF C20 H19 Cl F2 N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[2-(2-chlorophenyl)-1-[(cyclopropylmethoxy)amino]ethyl

idene] - (9CI)

MF C20 H21 Cl N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

Benzeneacetamide, N-[2-(2-chloro-6-fluoro-3-methylphenyl)-1-IN [(cyclopropylmethoxy)amino]ethylidene] - (9CI) MF C21 H22 Cl F N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L242 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,3,6-IN trifluorophenyl)ethylidene] - (9CI)

C20 H19 F3 N2 O2 MF

$$\begin{array}{c|c}
O & F \\
\hline
Ph-CH_2-C-NH & F \\
\hline
CH_2-O-N=C-CH_2
\end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneethanimidamide, 2,6-dichloro-N-(cyclopropylmethoxy)- (9CI) IN

C12 H14 Cl2 N2 O MF

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

REGISTRY COPYRIGHT 2003 ACS on STN L2

Benzeneethanimidamide, 2,3,6-trifluoro-N-hydroxy- (9CI) IN

MF C8 H7 F3 N2 O

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN L2

Cyclopropane, (bromomethyl) - (7CI, 8CI, 9CI) IN

MF C4 H7 Br

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneethanimidamide, 2-fluoro-N-hydroxy-6-(trifluoromethyl)- (9CI) IN

MF C9 H8 F4 N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L242 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneethanimidamide, 2,6-dichloro-N-hydroxy- (9CI)

MF C8 H8 Cl2 N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L242 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[2-(trifluoromethyl)phenyl]ethylidene]- (9CI)

L2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6-IN difluorophenyl) ethylidene] - (9CI)

C20 H20 F2 N2 O2 MF

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,3,5trifluorophenyl)ethylidene]- (9CI)

C20 H19 F3 N2 O2 MF

$$\begin{array}{c|c} & & & & & \\ & & & & \\ & & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & \\ & & \\ &$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

REGISTRY COPYRIGHT 2003 ACS on STN L2

Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,4-IN dichlorophenyl)ethylidene]- (9CI)

C20 H20 Cl2 N2 O2 MF

$$\begin{array}{c|c}
 & O \\
 & | \\
 & | \\
 & Ph-CH_2-C-NH \\
 & CH_2-O-N=C-CH_2
\end{array}$$
C1

L242 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,3-difluoro-6-IN methoxyphenyl)ethylidene]- (9CI)

C21 H22 F2 N2 O3 MF

$$\begin{array}{c|c}
 & O \\
 & Ph-CH_2-C-NH \\
 & O \\
 & CH_2-O-N = C-CH_2
\end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-phenylpropylidene]-(9CI)

MF C21 H24 N2 O2

$$\begin{array}{c|c} & & & & & & \\ & & & & & \\ & & & & \\ NH-C-CH_2-Ph \\ & & & \\ CH_2-O-N=-C-CH-Me \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneethanimidamide, 2-chloro-N-(cyclopropylmethoxy)-6-fluoro- (9CI) IN

MF C12 H14 Cl F N2 O

L2

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneethanimidamide, 3,5-dichloro-N-hydroxy- (9CI) IN

C8 H8 Cl2 N2 O MF

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L242 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN Benzeneethanimidamide, N-hydroxy- (9CI)

IN

MF C8 H10 N2 O

CI COM

$$\begin{array}{c} \text{NH} \\ || \\ \text{HO-NH-C-CH}_2\text{--Ph} \end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN L2

Benzeneethanimidamide, 2-chloro-N-hydroxy- (9CI) IN

C8 H9 Cl N2 O MF

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneethanimidamide, 2,6-difluoro-N-hydroxy- (9CI)

MF C8 H8 F2 N2 O

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[2-fluoro-5-

(trifluoromethyl)phenyl]ethylidene]- (9CI)

MF C21 H20 F4 N2 O2

$$\begin{array}{c|c}
 & O & CF_3 \\
 & \parallel & \\
 & Ph-CH_2-C-NH \\
 & CH_2-O-N-C-CH_2
\end{array}$$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

MF C20 H22 N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[2-[2-chloro-5-(trifluoromethyl)phenyl]-1-

[(cyclopropylmethoxy)amino]ethylidene]- (9CI)

MF C21 H20 Cl F3 N2 O2

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(3,5-dichlorophenyl)ethylidene]- (9CI)

MF C20 H20 Cl2 N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6-difluoro-3methylphenyl)ethylidene]- (9CI)

MF C21 H22 F2 N2 O2

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,3-

dichlorophenyl)ethylidene] - (9CI)

MF C20 H20 Cl2 N2 O2

$$\begin{array}{c|c}
O \\
Ph-CH_2-C-NH \\
CH_2-O-N=C-CH_2
\end{array}$$
C1

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetyl chloride (9CI)

MF C8 H7 Cl O

CI COM

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED